

PUBLICATIONS BY JAMES SPRINKLE

1965

- Sprinkle, James. 1965. Stratigraphy and sedimentary petrology of the lower Lodgepole Formation of southwestern Montana. M.I.T. Department of Geology and Geophysics, unpublished Senior Thesis, 29 p. (see #56 and 66 below)

1966

1. Sprinkle, James and Gutschick, R. C. 1966. Blastoids from the Sappington Formation of southwest Montana (Abst.). Geological Society of America Special Paper 87:163-164.

1967

2. Sprinkle, James and Gutschick, R. C. 1967. *Costatoblastus*, a channel fill blastoid from the Sappington Formation of Montana. Journal of Paleontology, 41(2):385-402.

1968

3. Sprinkle, James. 1968. The "arms" of *Caryocrinites*, a Silurian rhombiferan cystoid (Abst.). Geological Society of America Special Paper 115:210.

1969

4. Sprinkle, James. 1969. The early evolution of crinozoan and blastozoan echinoderms (Abst.). Geological Society of America Special Paper 121:287-288.
5. Robison, R. A. and Sprinkle, James. 1969. A new echinoderm from the Middle Cambrian of Utah (Abst.). Geological Society of America Abstracts with Programs, 1(5):69.
6. Robison, R. A. and Sprinkle, James. 1969. Ctenocystoidea: new class of primitive echinoderms. Science, 166(3912):1512-1514.

1970

- Sprinkle, James. 1970. Morphology and Evolution of Blastozoan Echinoderms. Harvard University Department of Geological Sciences, unpublished Ph.D. Thesis, 433 p. (see #8 below)

1971

7. Sprinkle, James. 1971. Stratigraphic distribution of echinoderm plates in the Antelope Valley Limestone of Nevada and California. U.S. Geological Survey Professional Paper 750-D (Geological Survey Research 1971):D89-D98.

1973

8. Sprinkle, James. 1973. Morphology and Evolution of Blastozoan Echinoderms. Harvard University, Museum of Comparative Zoology Special Publication, 283 p.
9. Sprinkle, James. 1973. *Tripatocrinus*, a new hybocrinid crinoid based on disarticulated plates from the Antelope Valley Limestone of Nevada and California. *Journal of Paleontology* 47(5):861-882.
10. Sprinkle, James. 1973. New occurrence of the Ordovician eocrinoid *Lingulocystis* from Bolivia, South America. *Journal of Paleontology*, 47(6):1113-1116.

1974

11. Sprinkle, James. 1974. New rhombiferan cystoids from the Middle Ordovician of Nevada. *Journal of Paleontology*, 48(6):1174-1201.
12. Sprinkle, James. 1974. Review of: Breimer, Albert and Macurda, D. B., Jr., 1972, The Phylogeny of the Fissiculate Blastoids. *Journal of Paleontology*, 48(6):1295-1296.

1975

13. Sprinkle, James. 1975. Biostratigraphy and paleoecology of Cambrian echinoderms from the Rocky Mountains (Abst.). *Geological Society of America Abstracts with Programs*, 7(7):1281.
14. Sprinkle, James. 1975. The "arms" of *Caryocrinites*, a rhombiferan cystoid convergent on crinoids. *Journal of Paleontology*, 49(6):1062-1073.

1976

15. Sprinkle, James. 1976. Classification and phylogeny of "pelmatozoan" echinoderms. *Systematic Zoology*, 25(1):83-91.
16. Katz, S. G. and Sprinkle, James. 1976. Fossilized eggs in a Pennsylvanian blastoid. *Science*, 192(4244):1137-1139.
17. Sprinkle, James. 1976. Biostratigraphy and paleoecology of Cambrian echinoderms from the Rocky Mountains. *Brigham Young University, Geology Studies*, 23(2):61-73.
18. Longman, M. W. and Sprinkle, James. 1976. Facies and communities of an Ordovician aulocogen deposit: the Bromide Formation of southern Oklahoma (Abst.). *Geological Society of America Abstracts with Programs*, 8(6):985.

1977

19. Sprinkle, James and Longman, M. W. 1977. Echinoderm faunas and paleoecology of the Bromide Formation (Middle Ordovician) of Oklahoma (Abst.). *Journal of Paleontology*, 51(2, pt. III, supplement):26.
20. Katz, S. G. and Sprinkle, James. 1977. Morrowan *Pentremites* in Oklahoma and Arkansas, p. 161-167. *In* Sutherland, P. K. and Manger, W. L. (eds.), Upper Chesterian-Morrowan Stratigraphy and the Mississippian-Pennsylvanian Boundary in Northeastern Oklahoma and Northwestern Arkansas. Oklahoma Geological Survey Guidebook 18, 185 p.

1978

21. Sprinkle, James and Bell, B. M. 1978. Paedomorphosis in edrioasteroid echinoderms. *Paleobiology*, 4(1):82-88.
22. Bell, B. M. and Sprinkle, James. 1978. *Totiglobus*, an unusual edrioasteroid from the Middle Cambrian of Nevada. *Journal of Paleontology*, 52(2):243-266.
23. Sprinkle, James and Moore, R. C. 1978. Echmatocrinea, p. T405-T407.
24. Sprinkle, James and Lane, N. G. 1978. Superfamily Perittocrinacea, p. T562-T563.
25. Sprinkle, James and Moore, R. C. 1978. Hybocrinida, p. T564-T574.
26. Sprinkle, James and Robison, R. A. 1978. Ctenocystoids, p. T998-T1002. *In* Moore, R. C. and Teichert, Curt (eds.), *Treatise on Invertebrate Paleontology*, Part T, Echinodermata 2 (vols. 1-3). Geological Society of America and University of Kansas, Boulder, Colorado, and Lawrence, Kansas, 1027 p.

1979

27. Sprinkle, James. 1979. Convergence of Paleozoic stemmed echinoderms with crested calyces (Abst.). *Geological Society of America Abstracts with Programs*, 11(7):522.

1980

28. Sprinkle, James. 1980. An Overview of the Fossil Record, p. 15-26.
29. Sprinkle, James. 1980. Early Diversification, p. 86-93. *In* Broadhead, T. W. and Waters, J. A. (eds.), *Echinoderms, Notes for a Short Course*. University of Tennessee Department of Geological Sciences, Studies in Geology, no. 3, 235 p.
30. Bell, G. L., Jr. and Sprinkle, James. 1980. New homoiostelean echinoderms from the Late Cambrian of Alabama (Abst.). *Geological Society of America Abstracts with Programs*, 12(7):385.
31. Sprinkle, James. 1980. Origin of blastoids: new look at an old problem (Abst.). *Geological Society of America Abstracts with Programs*, 12(7):528.
32. Sprinkle, James. 1980. Review of: Eicher, D. L. and McAlester, A. L., 1980, *History of the Earth*. *Journal of Geological Education*, 28(5):269-270.

1981

33. Taylor, M. E., Repetski, J. E., and Sprinkle, James. 1981. Paleontology and biostratigraphy of the Whipple Cave Formation and lower House Limestone, Sawmill Canyon, Egan Range, Nevada, p. 73-77. In Taylor, M. E. and Palmer, A. R. (eds.), *Cambrian Stratigraphy and Paleontology of the Great Basin and Vicinity, Western United States*. Second International Symposium on the Cambrian System, Guidebook for Field Trip 1, 182 p.
34. Sprinkle, James. 1981. Diversity and evolutionary patterns of Cambrian echinoderms, p. 219-221. In Taylor, M. E. (ed.), *Short Papers for the Second International Symposium on the Cambrian System*. U.S. Geological Survey Open-File Report 81-743, 252 p.
35. Sprinkle, James. 1981. Pseudomonocyclic and pseudocyclic crinoids: new problems in crinoid classification (Abst.). Geological Society of America Abstracts with Programs, 13(7):559.

1982

36. Sprinkle, James. 1982. Review of: Babin, Claude, 1980, Elements of Palaeontology. Bioscience, 32(7):289.
37. Sprinkle, James (ed.). 1982. *Echinoderm Faunas from the Bromide Formation (Middle Ordovician) of Oklahoma*. University of Kansas Paleontological Contributions, Monograph 1, 369 p.
(Plus author or co-author of the following chapters in the above monograph):
38. Sprinkle, James. 1982. Introduction, p. 3-5.
39. Fay, R. O., Graffham, A. A., and Sprinkle, James. 1982. Previous studies of Bromide echinoderms, p. 34-43.
40. Sprinkle, James. 1982. Echinoderm zones and faunas, p. 47-56.
41. Sprinkle, James. 1982. Age and correlation using Bromide echinoderms, p. 65-67.
42. Sprinkle, James and Longman, M. W. 1982. Echinoderm paleoecology, p. 68-76.
43. Sprinkle, James. 1982. *Acolocrinus*, p. 111-118.
44. Sprinkle, James. 1982. *Hybocrinus*, p. 119-128.
45. Sprinkle, James. 1982. Large-calyx cladid inadunates, p. 145-169.
46. Sprinkle, James and Kolata, D. R. 1982. "Rhomb-bearing" camerate, p. 206-211.
47. Sprinkle, James and Parsley, R. L. 1982. "Golf-ball" paracrinoïd, p. 224-230.
48. Sprinkle, James. 1982. Cylindrical and globular rhombiferans, p. 231-273.
49. Sprinkle, James. 1982. Palaeocystitids, p. 289-296.
50. Sprinkle, James. 1982. *Astrocystites*, p. 307-308.
51. Sprinkle, James. 1982. Holothurians, p. 315.
52. Fay, R. O., Graffham, A. A., and Sprinkle, James. 1982. Measured sections and [other] collecting localities, p. 335-369.

1983

53. Sprinkle, James. 1983. Response by James Sprinkle for the Schuchert Award, October 29, 1982. *Journal of Paleontology*, 57(3):617-618.
54. Brett, C. E., Frest, T. J., Sprinkle, James, and Clement, C. R. 1983. Coronoidea: a new class of blastozoan echinoderms based on taxonomic reevaluation of *Stephanocrinus*. *Journal of Paleontology*, 57(4):627-651.
55. Sprinkle, James. 1983. Patterns and problems in echinoderm evolution, p. 1-18. *In* Jangoux, Michel and Lawrence, J. M. (eds.), *Echinoderm Studies*. A. A. Balkema, Publishers, Rotterdam, vol. 1, 203 p.
56. Sprinkle, James and Gutschick, R. C. 1983. Early Mississippian blastoids from western Montana (Abst.). *Geological Society of America Abstracts with Programs*, 15(6):693.

1984

57. Sprinkle, James. 1984. Growth in blastoids (Abst.). *Geological Society of America Abstracts with Programs*, 16(6):665-666.
58. Walton, A. H. and Sprinkle, James. 1984. *Lab Manual for Paleobiology*. AlphaGraphics, Inc. (now Jenn's Copy & Binding), Austin, iv + 119 p. (revised 1986 and 2002)

1985

59. Sprinkle, James. 1985. New edrioasteroid from the Middle Cambrian of western Utah. *University of Kansas Paleontological Contributions*, Paper 116:1-4.
60. Sprinkle, James, Henry, Linda, Zimmer, F. S., Kelley, L. S., and Whiteley, Jean. 1985. New *Pleurocystites* from the Bromide Formation of Oklahoma. *Journal of Paleontology*, 59(6):1476-1480.

1986

- Sprinkle, James. 1986. Macintosh meets the IRS. *The MACazine*, 3(3):25-31 (March).
61. Sprinkle, James. 1986. Review of: Murray, J. W. (ed.), 1985, *Atlas of Invertebrate Macrofossils*. *Geology*, 14(3):270.

1987

62. Sprinkle, James. 1987. Review of: Jefferies, R. P. S., 1986, *The Ancestry of the Vertebrates*. *Science*, 236(4807):1476.
63. Sprinkle, James and Kier, P. M. 1987. Phylum Echinodermata, p. 550-611. *In* Boardman, R. S., Cheetham, A. H., and Rowell, A. J. (eds.), *Fossil Invertebrates*. Blackwell Scientific Publications, Palo Alto, California, 713 p.
64. Lewis, R. D., Sprinkle, James, Bailey, J. B., Moffit, John, and Parsley, R. L. 1987. *Mandalacystis*, a new rhipidocystid eocrinoid from the Whiterockian

Stage (Ordovician) in Oklahoma and Nevada. *Journal of Paleontology*, 61(6):1222-1235.

1989

65. Sprinkle, James. 1989. Origin of the echinoderm Class Rhombifera based on new Early Ordovician discoveries from the Rocky Mountains (Abst.). *Geological Society of America Abstracts with Programs*, 21(6):A114.

1990

66. Sprinkle, James and Gutschick, R. C. 1990. Early Mississippian blastoids from western Montana. *Harvard University, Museum of Comparative Zoology Bulletin*, 152(3):89-166.
67. Sumrall, C. D. and Sprinkle, James. 1990. "Blisters", "stuffers", and "stalkers": basic designs in Late Paleozoic edrioasteroids (Abst.). *Geological Society of America Abstracts with Programs*, 22(7):A34.
68. Sprinkle, James. 1990. New echinoderm fauna from the Ninemile Shale (Lower Ordovician) of central and southern Nevada (Abst.). *Geological Society of America Abstracts with Programs*, 22(7):A219.
69. Guensburg, T. E. and Sprinkle, James. 1990. Early Ordovician crinoid-dominated echinoderm fauna from the Fillmore Formation of western Utah (Abst.). *Geological Society of America Abstracts with Programs*, 22(7):A220.
- Sprinkle, James. 1990. Field trip through the Bromide Formation, Arbuckle Mountains and Criner Hills, southern Oklahoma. Unpublished field guide for informal Friends of Echinoderms field trip before Dallas GSA Annual Meeting, 13 p. (see #37 above)

1991

70. Sprinkle, James and Guensburg, T. E. 1991. Origin of echinoderms in the Paleozoic Evolutionary Fauna: new data from the Early Ordovician of Utah and Nevada (Abst.). *Geological Society of America Abstracts with Programs*, 23(5):A278.

1992

71. Sprinkle, James. 1992. *Camptostromatoidea*, v. 3, p. 183.
72. Sprinkle, James. 1992. *Carpoids*, v. 3, p. 284-285.
73. Sprinkle, James. 1992. *Coronoidea*, v. 4, p. 440.
74. Sprinkle, James. 1992. *Edrioblastoidea*, v. 5, p. 607-608.
75. Sprinkle, James. 1992. *Eocrinoidea*, v. 6, p. 442-443.
76. Sprinkle, James. 1992. *Helicoplacoidea*, v. 8, p. 366-367.
77. Sprinkle, James. 1992. *Homalozoa*, v. 8, p. 489.
78. Sprinkle, James. 1992. *Parablastoidea*, v. 13, p. 80-81.
In Parker, S. P. (ed.), *McGraw-Hill Encyclopedia of Science and Technology* (7th ed.). McGraw-Hill, New York, 20 vols.

79. Guensburg, T. E. and Sprinkle, James. 1992. Rise of echinoderms in the Paleozoic Evolutionary Fauna: significance of paleoenvironmental controls. *Geology*, 20(5):407-410 (+ cover photo).
80. Guensburg, T. E. and Sprinkle, James. 1992. Environmental controls of rapidly diversifying echinoderms during the Early Paleozoic (Abst.), p. 114. *In* Lidgard, S. and Crane, P. R. (eds.), Fifth North American Paleontological Convention, Abstracts and Program. Paleontological Society Special Publication no. 6, 329 p.
81. Sumrall, C. D. and Sprinkle, James. 1992. Could edrioasteroids move? (Abst.), p. 284. *In* Lidgard, S. and Crane, P. R. (eds.), Fifth North American Paleontological Convention, Abstracts and Program. Paleontological Society Special Publication no. 6, 329 p.
82. Sprinkle, James. 1992. Radiation of Echinodermata, p. 375-398. *In* Lipps, J. H. and Signor, P. W. (eds.), Origin and Early Evolution of the Metazoa. Plenum Press, New York, 570 p.
83. Sprinkle, James and Guensburg, T. E. 1992. Tiering history of suspension feeders on hard substrates (Abst.). *Geological Society of America Abstracts with Programs*, 24(7):A98.

1993

84. Sprinkle, James and Guensburg, T. E. 1993. Between evolutionary faunas: comparison of Late Cambrian and Early Ordovician echinoderms and their paleoenvironments (Abst.). *Geological Society of America Abstracts with Programs*, 25(5):149.
85. Guensburg, T. E. and Sprinkle, James. 1993. Edrioasteroid phylogeny (Abst.). *Geological Society of America Abstracts with Programs*, 25(6):A-54.
86. Sprinkle, James and Guensburg, T. E. 1993. Appendix D--Echinoderm Biostratigraphy, p. 61-63 and Plate III. *In* Ross, R. J., Jr., Hintze, L. F., Ethington, R. L., Miller, J. F., Taylor, M. E., and Repetski, J. E., The Ibexian Series (Lower Ordovician), a replacement for "Canadian Series" in North American chronostratigraphy. U.S. Geological Survey, Open-File Report 93-598, 75 p.

1994

87. Sprinkle, James and Wahlman, G. P. 1994. New echinoderms from the Early Ordovician of west Texas. *Journal of Paleontology*, 68(2):324-338.
- 71q. Sprinkle, James. 1994. Camptostromatoidea, p. 308.
- 73q. Sprinkle, James. 1994. Coronoidea, p. 484.
- 74q. Sprinkle, James. 1994. Edrioblastoidea, p. 644.
- 77q. Sprinkle, James. 1994. Homalozoa, p. 926.
- 78q. Sprinkle, James. 1994. Parablastoidea, p. 1355.

In Parker, S. P. (ed.), McGraw-Hill Concise Encyclopedia of Science and Technology (3rd ed.). McGraw-Hill, New York, 2241 p. (Slightly abbreviated versions of five articles from 1992 McGraw-Hill 20 vol. Encyclopedia of Science and Technology)

88. Sumrall, C. D. and Sprinkle, James. 1994. *Plethoschisma*: its back! (Abst.). Geological Society of America Abstracts with Programs, 26(7):A-427.
89. Guensburg, T. E. and Sprinkle, James. 1994. Echinoderm rapid diversification and faunas across the Cambro-Ordovician boundary (Abst.). Geological Society of America Abstracts with Programs, 26(7):A-427.
90. Guensburg, T. E. and Sprinkle, James. 1994. Revised phylogeny and functional interpretation of the Edrioasteroidea based on new taxa from the Early and Middle Ordovician of western Utah. *Fieldiana (Geology)*, New Series no. 29:1-43.

1995

91. Sprinkle, James. 1995. Do eocrinoids belong to the Cambrian or to the Paleozoic Evolutionary Fauna?, p. 397-400. In Cooper, J. D., Droser, M. L., and Finney, S. C., (eds.), *Ordovician Odyssey: Short Papers for the Seventh International Symposium on the Ordovician System*. Pacific Section-SEPM, Book 77, 498 p.
92. Sumrall, C. D. and Sprinkle, James. 1995. Plating and pectinirhombs of the Ordovician rhombiferan *Plethoschisma*. *Journal of Paleontology*, 69(4):772-778.
93. Sumrall, C. D. and Sprinkle, James. 1995. Peristomal bordering plates in fossil echinoderms (Abst.). Geological Society of America Abstracts with Programs, 27(6):A-113.
94. Sprinkle, James and Collins, Desmond. 1995. *Echmatocrinus* revisited: still an echinoderm and probably the earliest crinoid (Abst.). Geological Society of America Abstracts with Programs, 27(6):A-113-114.
95. Sprinkle, James and Awramik, S. M. 1995. Proterozoic stromatolites: the first evolutionary biota (Abst.). Geological Society of America Abstracts with Programs, 27(6):A-268-269.
96. Sprinkle, James and Guensburg, T. E. 1995. Origin of echinoderms in the Paleozoic Evolutionary Fauna: the role of substrates. *Palaios*, 10(5):437-453.

1996

97. Molineux, Ann and Sprinkle, James. 1996. Late Paleozoic offshore "hot spots" in the Modern Evolutionary Fauna: an anomaly of environmental placement? (Abst.). Geological Society of America Abstracts with Programs, 28(1):54.

98. Sprinkle, James and McKinzie, M. G. 1996. Early Ordovician echinoderms from southern Oklahoma and west Texas (Abst.). Geological Society of America Abstracts with Programs, 28(1):64.
99. Sprinkle, James, Guensburg, T. E., and Sumrall, C. D. 1996. Revising the rhombiferan radiation: a new look at morphology, diversity, phylogeny, and paleoecology (Abst.), p. 368. *In* Repetski, J. E. (ed.), Sixth North American Paleontological Convention Abstracts of Papers. Paleontological Society Special Publication No. 8, 443 p.
100. Sumrall, C. D. and Sprinkle, James. 1996. Phylogenetic analysis of Echinodermata based on primitive fossil taxa (Abst.), p. 113. Program and Abstracts, 9th International Echinoderm Conference, San Francisco, 150 p.
101. Guensburg, T. E., Sprinkle, James, and Rozhnov, S. V. 1996. Distribution and paleoecology of cyathocystid edrioasteroids (Abst.). Geological Society of America Abstracts with Programs, 28(7):A-488.
102. Blake, D. B. and Sprinkle, James. 1996. *Astrocratis acutispina*, new genus and species, a new asteroid from the Late Cretaceous of Texas. *Eclogae Geologicae Helvetiae*, 89(3):1311-1320.

1997

- 71a. Sprinkle, James. 1997. Camptostromatoidea, v. 3, p. 194-195.
- 72a. Sprinkle, James. 1997. Carpoids, v. 3, p. 306-307.
- 73a. Sprinkle, James. 1997. Coronoidea, v. 4, p. 490-491.
- 74a. Sprinkle, James. 1997. Edrioblastoidea, v. 5, p. 649-650.
- 75a. Sprinkle, James. 1997. Eocrinoidea, v. 6, p. 496-497.
- 76a. Sprinkle, James. 1997. Helicoplacoidea, v. 8, p. 413-414.
- 77a. Sprinkle, James. 1997. Homalozoa, v. 8, p. 553.
- 78a. Sprinkle, James. 1997. Parablastoidea, v. 13, p. 90.
In Parker, S. P. (ed.), McGraw-Hill Encyclopedia of Science and Technology (8th ed.). McGraw-Hill, New York, 20 vols. (reprints of eight articles from 7th edition)
103. Sprinkle, James. 1997. Review of: David, B., Guille, A., Feral, J.-P., and Roux, M. (eds.), 1994, Echinoderms Through Time. *Quarterly Review of Biology*, 72(2):214.
104. Guensburg, T. E. and Sprinkle, James. 1997. Rhombiferans are not the ancestors of crinoids (Abst.). Geological Society of America Abstracts with Programs, 29(6):A-341.
105. Sprinkle, James and Guensburg, T. E. 1997. How the crinoid got its cup plating: arm brachials down plus stem (penta)meres up (Abst.). Geological Society of America Abstracts with Programs, 29(6):A-341-342.
106. Sprinkle, James, and Guensburg, T. E. 1997. Early radiation of echinoderms, p. 205-224. *In* Waters, J. A. and Maples, C. G. (eds.), *Geobiology of Echinoderms*. Paleontological Society Papers, v. 3, 355 p.

- 86a. Sprinkle, James and Guensburg, T. E. 1997. Appendix 4. Echinoderm Biostratigraphy, p. 49-50 and Plate 1, Chart C. *In* Ross, R. J., Jr., Hintze, L. F., Ethington, R. L., Miller, J. F., Taylor, M. E., and Repetski, J. E., The Ibexian, lowermost series in the North American Ordovician, p. 1-50. *In* Taylor, M. E. (ed.), Early Paleozoic Biochronology of the Great Basin, Western United States. U.S. Geological Survey Professional Paper 1579, 115 p. (final publication of USGS Open-File Report 93-598)
107. Sumrall, C. D., Sprinkle, James, and Guensburg, T. E. 1997. Systematics and paleoecology of Late Cambrian echinoderms from the western United States. *Journal of Paleontology*, 71(6):1091-1109.

1998

108. Sumrall, C. D. and Sprinkle, James. 1998. Phylogenetic analysis of Echinodermata based on primitive fossil taxa, p. 81-87. *In* Mooi, R. and Telford, M. (eds.), *Echinoderms: San Francisco* (Proceedings of the 9th International Echinoderm Conference, San Francisco/California/USA/5-9 August 1996). A. A. Balkema, Rotterdam, 923 p.
109. Sprinkle, James and Collins, Desmond. 1998. Middle Cambrian echinoderms from the Burgess Shale, British Columbia (Abst.). *Geological Society of America Abstracts with Programs*, 30(6):37.
110. Sumrall, C. D. and Sprinkle, James. 1998. The early ontogeny of the glyptocystitid rhombiferan *Lepadocystis moorei* (Abst.), p. 80. Fifth European Conference on Echinoderms, Milano, Program and Abstracts, 117 p.
- 71r. Sprinkle, James. 1998. Camptostromatoidea, p. 322.
- 73r. Sprinkle, James. 1998. Coronioidea, p. 498.
- 74r. Sprinkle, James. 1998. Edrioblastoidea, p. 666.
- 77r. Sprinkle, James. 1998. Homalozoa, p. 961.
- 78r. Sprinkle, James. 1998. Parablastoidea, p. 1401.
In Parker, S. P. (ed.), McGraw-Hill Concise Encyclopedia of Science and Technology (4th ed.). McGraw-Hill, New York, 2318 p. (reprints of five articles from 3rd edition, 1994).
111. Guensburg, T. E. and Sprinkle, James. 1998. The earliest camerate crinoids: new collections from the Early Ordovician of western Utah (Abst.). *Geological Society of America Abstracts with Programs*, 30(7):A-30.
112. Sprinkle, James and Collins, Desmond. 1998. Revision of *Echmatocrinus* from the Middle Cambrian Burgess Shale of British Columbia. *Lethaia*, 31(4):269-282.

1999

113. Sprinkle, James, Guensburg, T. E., and Rozhnov, S. V. 1999. Correlation anomaly shown by Ordovician shelly and trace fossils in Baltic Russia: redating the Ordovician Radiation, p. 471-474. *In* Kraft, P. and Fatka, O. (eds.), *Quo Vadis Ordovician?* (Short papers of the 8th International Symposium on the Ordovician System). Acta Universitatis Carolinae -

Geologica, 43(1/2), 534 p.

114. Sumrall, C. D. and Sprinkle, James. 1999. Early ontogeny of the glyptocystitid rhombiferan *Lepadocystis moorei* (Meek), p. 409-414. In Candia Carnevali, M. D. and Bonasoro, F. (eds.), *Echinoderm Research 98* (Proceedings of the 1998 European Echinoderm Conference, Milan). A. A. Balkema, Rotterdam, 550 p.
115. Sumrall, C. D. and Sprinkle, James. 1999. *Ponticulocarpus*, a new cornute-grade stylophoran from the Middle Cambrian Spence Shale of Utah. *Journal of Paleontology*, 73(5):886-891.
116. Awramik, S. M. and Sprinkle, James. 1999. Proterozoic stromatolites: the first marine evolutionary biota. *Historical Biology*, 13(4):241-253. (+ color fig.)
117. Guensburg, T. E. and Sprinkle, James. 1999. Origin of crinoid arms (Abst.). *Geological Society of America Abstracts with Programs*, 31(7):A-44.

2000

118. Sprinkle, James and Guensburg, T. E. 2000. Growing a stalked echinoderm within the Extraxial-Axial Theory (Abst.), p. 151. 10th International Echinoderm Conference, Dunedin, New Zealand, Programme and Abstracts, 165 p.
119. Sprinkle, James and Guensburg, T. E. 2000. The Great Ordovician Radiation of echinoderms in NW Laurentia (Abst.). *Geological Society of America Abstracts with Programs*, 32(7):A-389.
120. Guensburg, T. E. and Sprinkle, James. 2000. Ecologic radiation of Cambro-Ordovician echinoderms, p. 428-444. In Zhuravlev, A. Y. and Riding, R. (eds.), *The Ecology of the Cambrian Radiation*. Columbia University Press, New York, 525 p. (book dated 2001 but actually published 2000)

2001

121. Guensburg, T. E. and Sprinkle, James. 2001. Earliest crinoids: New evidence for the origin of the dominant Paleozoic echinoderms. *Geology* 29(2):131-134.
122. Sprinkle, James and Guensburg, T. E. 2001. The Great Ordovician Biodiversification of echinoderms (Abst.). *PaleoBios*, 21(2, 2nd Supplement, IGCP 410: The Great Ordovician Biodiversification Event [Meeting] Abstracts):11-12.
123. Guensburg, T. E. and Sprinkle, James. 2001. Origin of standardized crinoid cup plating (Abst.). *PaleoBios*, 21(2, Supplement, NAPC 2001 Program & Abstracts):59-60.
124. Guensburg, T. E. and Sprinkle, James. 2001. Origin of standardized cup and posterior plating in early crinoids (Abst.). *Geological Society of America Abstracts with Programs*, 33(6):A-247.

125. Sumrall, C. D., Sprinkle, James, and Guensburg, T. E. 2001. Comparison of flattened blastozoan echinoderms: insights from the new Early Ordovician eocrinoid *Haimacystis rozhnovi*. *Journal of Paleontology*, 75(5):985-992.

9

126. Sprinkle, James and Guensburg, T. E. 2001. Growing a stalked echinoderm within the Extraxial-Axial Theory, p. 59-65. *In* Barker, M. F. (ed.), *Echinoderms 2000* (Proceedings of the 10th International Echinoderm Conference, Dunedin, New Zealand, 31 January - 4 February 2000). A. A. Balkema, Lisse, Netherlands, 590 p.

2002

- 71b. Sprinkle, James. 2002. Camptostromatoidea, v. 3, p. 420.
72b. Sprinkle, James. 2002. Carpoids, v. 3, p. 535-536.
73b. Sprinkle, James. 2002. Coronoidea, v. 4, p. 761-762.
75b. Sprinkle, James. 2002. Eocrinoidea, v. 6, p. 610-611.
76b. Sprinkle, James. 2002. Helicoplacoidea, v. 8, p. 431.
77b. Sprinkle, James. 2002. Homalozoa, v. 8, p. 573-574.
78b. Sprinkle, James. 2002. Parablastoidea, v. 13, p. 1.
In Parker, S. P. (ed.), *McGraw-Hill Encyclopedia of Science and Technology* (9th ed.). McGraw-Hill, New York, 20 vols. (slightly altered reprints of seven articles from 8th edition, 1997)
127. Sprinkle, James and Guensburg, T. E. 2002. The Great Ordovician Biodiversification Event based on echinoderm species (Abst.), p. 147-148. *In* Brock, G. A. and Talent, J. A. (eds.), *First International Palaeontological Congress Abstracts*. Geological Society of Australia, Abstracts No. 68, 297 p.
128. Sumrall, C. D. and Sprinkle, James. 2002. Temporal and geographic bias in the sampling of North American glyptocystitoid rhombifera (Echinodermata) (Abst.). *Geological Society of America Abstracts with Programs*, 34(6):35.

2003

129. Guensburg, T. E. and Sprinkle, James. 2003. The oldest known crinoids (Early Ordovician, Utah) and a new crinoid plate homology system. *Bulletins of American Paleontology*, 364:1-43 (+ 9 plates).
130. Sprinkle, James and Guensburg, T. E. 2003. Major expansion of echinoderms in the early Late Ordovician (Mohawkian, middle Caradoc) and its possible causes, p. 327-332. *In* Albanesi, G. L., Beresi, M. S., and Peralta, S. H. (eds.), *Ordovician from the Andes*. Instituta Superior de Correlación Geológica (INSUGEO), Serie Correlación Geológica 17, 552 p.
131. Guensburg, T. E. and Sprinkle, James. 2003. The oldest known crinoids and a new look at crinoid origins. *American Paleontologist*, 11(3):3-5 (+ cover photo).
132. Sprinkle, James and Wilbur, B. C. 2003. Deconstructing helicoplacoids:

cutting out two-dimensional plating diagrams for the most puzzling Cambrian echinoderms (Abst.). Geological Society of America Abstracts with Programs, 35(6):106.

133. Guensburg, T. E. and Sprinkle, James. 2003. Using the dual-reference homology system and other homologous structures to study morphologically divergent and problematic crinoids (Abst.). Geological Society of America Abstracts with Programs, 35(6):162.

2004

134. Sprinkle, James and Guensburg, T. E. 2004. Crinozoan, blastozoan, echinozoan, asterozoan, and homalozoan echinoderms, p. 266-280 (+ references). In Webby, B. D., Droser, M. L., Paris, F., and Percival, I. (eds.), *The Great Ordovician Biodiversification Event*. Columbia University Press, New York, 484 p.
135. Guensburg, T. E. and Sprinkle, James. 2004. Origin and divergence of hard-substrate attachment structures in early echinoderms (Abst.). Geological Society of America Abstracts with Programs, 36(5):110.
136. Sumrall, C. D., Sprinkle, James, and Bonem, R. M. 2004. An edrioasteroid-acrothoracic barnacle-dominated community attached to Pennsylvanian conglomerate clasts (Abst.). Geological Society of America Abstracts with Programs, 36(5):111.

2005

137. Sprinkle, James and Wilbur, B. C. 2005. Deconstructing helicoplacoids: revising the most enigmatic Cambrian echinoderms. Geological Journal, 40(3):281-293.
138. Schneider, C. L., Sprinkle, James, and Ryder, Dan. 2005. Pennsylvanian (Late Carboniferous) echinoids from the Winchell Formation, north-central Texas, USA. Journal of Paleontology, 79(4):745-762.

2006

139. Sprinkle, James. 2006. Crinoids vs. Blastozoans: Some similarities but many differences (Abst.), p. 41-42. In Lefebvre, B., David, B., Nardin, E., and Poty, E. (eds.), Journées G. Ubaghs, Programme & Abstracts. Biogeosciences, Université de Bourgogne, Dijon, France, 54 p.
140. Sumrall, C. D., Sprinkle, James, and Bonem, R. M. 2006. An edrioasteroid-dominated echinoderm community from a Lower Pennsylvanian marine conglomerate in Oklahoma. Journal of Paleontology, 80(2):229-244.
141. Sprinkle, James and Collins, Desmond. 2006. New eocrinoids from the Burgess Shale, southern British Columbia, Canada, and the Spence Shale, northern Utah, USA. Canadian Journal of Earth Sciences, 43(3):303-322.

142. Zachos, L. G. and Sprinkle, James. 2006. Modeling echinoid skeletal growth: A first principles approach (Abst.), p. 63. *In* 12th International Echinoderm Conference, Durham, NH, Program and Abstracts, 119 p.
143. Gahn, F. J., Sprinkle, James, and Guensburg, T. E. 2006. Garden City of echinoderms: A new Early Ordovician Lagerstätte from Idaho and Utah (Abst.). *Geological Society of America Abstracts with Programs*, 38(7):383.

2007

- 71c. Sprinkle, James. 2007. *Camptostromatoidea*, v. 3, p. 417.
- 72c. Sprinkle, James. 2007. *Carpoids*, v. 3, p. 538-539.
- 73c. Sprinkle, James. 2007. *Coronoidea*, v. 4, p. 773-774.
- 75c. Sprinkle, James. 2007. *Eocrinoidea*, v. 6, p. 626-627.
- 76c. Sprinkle, James. 2007. *Helicoplacoidea*, v. 8, p. 437-438.
- 77c. Sprinkle, James. 2007. *Homalozoa*, v. 8, p. 589.
- 78c. Sprinkle, James. 2007. *Parablastoidea* (revised), v. 13, p. 1.
144. Sprinkle, James. 2007. *Paracrinoidea* (new), v. 13, p. 6-8.
In: Licker, M. (ed.), *McGraw-Hill Encyclopedia of Science and Technology* (10th ed.). McGraw-Hill, New York, 20 vols. (1 new, 1 revised, & 6 reprinted articles from 9th edition, 2002)
145. Sprinkle, James, and Gahn, F. J. 2007. New eocrinoids from the Lower Ordovician Garden City Formation, northeastern Utah and southeastern Idaho (Abst.). *Geological Society of America Abstracts with Programs*, 39(6):74.
146. Guensburg, T. E. and Sprinkle, James. 2007. Morphology and evolutionary implications of a primitive Early Ordovician crinoid (Abst.). *Geological Society of America Abstracts with Programs*, 39(6):501.
147. Zachos, L. G. and Sprinkle, James. 2007. An equilibrium theory of echinoid plate geometry (Abst.). *Geological Society of America Abstracts with Programs*, 39(6):501.
148. Blake, D. B., Guensburg, T. E., Sprinkle, James, and Sumrall, C. D. 2007. A new, phylogenetically significant Early Ordovician asteroid (Echinodermata). *Journal of Paleontology*, 81(6):1257-1265.
149. Guensburg, T. E. and Sprinkle, James. 2007. Phylogenetic implications of the Protocrinoidea: Blastozoans are not ancestral to crinoids. *Annales de Paléontologie*, 93(4):277-290.

In Press or Preparation

2008

150. Sprinkle, James, Guensburg, T. E., and Gahn, F. J. In press. Overview of Early Ordovician crinoid diversity from the western and southwestern United States, p. ____ - _____. *In* Ausich, W. I. and Webster, G. (eds.), *Echinoderm Paleobiology: Essays in Honor of N. Gary Lane*. Indiana University Press, Bloomington, ____ p.